
# John Deere 540H Cable Skidder and 548H Grapple Skidder (SN.-630435) Service Repair Manual (TM11330)



Covers: 630435):,540H,548H

Type: Service Manual Language: English Pages: 484 Format: PDF Features: Bookmarked, searchable, printable Compatibility: Windows/Mac/Tablet/Mobile This service manual contains important information for the maintenance, troubleshooting and servicing of the John Deere 540H Cable Skidder and 548H Grapple Skidder (SN.-630435) Service Repair Manual (TM11330)

In this manual you will find detailed specifications, illustrations, schematics, diagrams and step-by-step procedures to properly service and diagnose the machine to the manufacturer's standards.


## Contents:

- General Information
- Specifications
- Serial Number Location
- Engine Specifications
- Engine Diagnostics
- Engine Tests and Adjustments
- Engine Repair
- Power Train
- Transmission
- Axles
- Differential
- PTO
- Hydraulic System
- Electrical System
- Electrical Tests and Diagnostics
- Wiring Diagram / Schematic
- Ignition and Charging
- Steering
- Brakes
- Wheels
- Operator's Platform
- Body Panels
- Disassembly and Assembly
- Diagnostics, Tests and Adjustments
- Troubleshooting
- and much more...

Please note this manual is in **downloadable PDF format only.** If you have any questions about this product or would like to request sample pages, please contact us and reference the product name or SKU.

### **Install Brakes**





#### Brake-Exploded View

LEGEND:	
A	O-Ring (Outer)
В	O-Ring (Inner)
C	Piston
D	Retractor Spring (3 used)
E	Friction Disc
F	Backing Plate
Droce retractor cori	par (D) into backing plate (E)

Press retractor springs (D) into backing plate (F).

#### IMPORTANT:

Ensure 17 mm (0.67 in.) of retractor springs remain over surface of backing plate. If not seated to specification, brake drag may result.

#### [2] -

-NOTE:

Do not roll O-ring into groove.

Install new O-rings (A and B) onto piston. Pull O-rings up and over the edge. Apply hydraulic oil to inside and outside diameter of piston (C).

[3] -

<- Go to Section TOC



# Thank you very much for your reading. Please click here to get more information.