John Deere 670C, 670CH, 672CH, 770C, 770CH, 772CH Series II Motor Grader Service Repair Manual (tm1915)

John Deere Agriculture

6415 and 6615 Tractors - Repair Technical Manual

REPAIR MANUAL

6415, 6615

PDF **DOWNLOAD**

tm8130, December 2007

Covers: 672CH,772CH,670C,670CH,770C,770CH

Type: Service Manual

Language: English

Pages: 627

Format: PDF

Features: Bookmarked, searchable, printable

Compatibility: Windows/Mac/Tablet/Mobile

This service manual contains important information for the maintenance, troubleshooting and servicing of the **John Deere 670C, 670CH, 672CH, 770C, 770CH, 772CH Series II Motor Grader Service Repair Manual (tm1915)**

In this manual you will find detailed specifications, illustrations, schematics, diagrams and step-by-step procedures to properly service and diagnose the machine to the manufacturer's standards.

Contents:
- General Information
- Specifications
- Serial Number Location
- Engine Specifications
- Engine Diagnostics
- Engine Tests and Adjustments
- Engine Repair
- Power Train
- Transmission
- Axles
- Differential
- PTO
- Hydraulic System
- Electrical System
- Electrical Tests and Diagnostics
- Wiring Diagram / Schematic
- Ignition and Charging
- Steering
- Brakes
- Wheels
- Operator's Platform
- Body Panels
- Disassembly and Assembly
- Diagnostics, Tests and Adjustments
- Troubleshooting
- and much more...

Please note this manual is in **downloadable PDF format only.** If you have any questions about this product or would like to request sample pages, please contact us and reference the product name or SKU.

Group 25 - Operator's Cab

Removing Cab Frame

LX1027449

Remove operator's cab.

See Removing Cab or Operator's Platform, Section 90-00.

⚠ *CAUTION:*

If frame attaching bolts are unfastened or frame is removed, make sure all parts are reinstalled correctly to maintain necessary protection of operator. Tighten attaching bolts to specification.

A tractor in movement may pose strong tension onto main chassis. Therefore, replace frame if any frame members are bent, twisted or have been forced, to maintain adequate