
# John Deere Deere/Bauer DB Series Planters (SN.745101�����) Service Repair Technical Manual (TM127819)



Covers: 745101�����):,DB37,DB44,DB50,DB55,DB58,DB60,DB60T,DB6

**Type:** Service Manual **Language:** English

Pages: 618 Format: PDF

**Features:** Bookmarked, searchable, printable **Compatibility:** Windows/Mac/Tablet/Mobile

This service manual contains important information for the maintenance, troubleshooting and servicing of the **John Deere Deere/Bauer DB Series Planters (SN.745101** ������) **Service Repair Technical Manual (TM127819)** 

In this manual you will find detailed specifications, illustrations, schematics, diagrams and step-by-step procedures to properly service and diagnose the machine to the manufacturer's standards.

## **Contents:**

- · General Information
- Specifications
- · Serial Number Location
- · Engine Specifications
- · Engine Diagnostics
- · Engine Tests and Adjustments
- · Engine Repair
- Power Train
- Transmission
- Axles
- Differential
- PTO
- Hydraulic System
- Electrical System
- · Electrical Tests and Diagnostics
- Wiring Diagram / Schematic
- Ignition and Charging
- Steering
- Brakes
- Wheels
- · Operator's Platform
- Body Panels
- · Disassembly and Assembly
- Diagnostics, Tests and Adjustments
- Troubleshooting
- · and much more...


Please note this manual is in <b>downloadable PDF format only.</b> If you have any questions about this product or would like to request sample pages, please contact us and reference the product name or SKU.	

# Machine Information Center (MIC) Remove and Install

For machine location of machine information center, See Cab Harness (W1) Component Location. (Group 9015-10.)

- [1] Disconnect battery ground (-) cable.
- [2] Remove rear cover. See Rear Cover Remove and Install. (Group 9015-20.)
- [3] Disconnect electrical connectors from cover.

[4] -



## Machine Information Center

# LEGEND:

- 1 Electrical Connectors
- 2 Screw (4 used)
- 3 Machine Information Center (MIC) 4 Pump and Valve Controller (PVC)
- Remove electrical connectors (1).
- [5] Remove screws (2) and machine information center (3).
- [6] Repair or replace parts as necessary.
- [7] Install machine information center (3), screws (2) and connectors (1).
- [8] Install rear cover. See Rear Cover Remove and Install. (Group 9015-20.)
- [9] Connect battery ground (-) cable.



Thank you very much for your reading.

Please click here to get more information.