




Bobcat®

Operation & Maintenance Manual Front Mount Mower

(FM Mower 66) S/N AW4400101 & Above



OPERATOR SAFETY WARNINGS




WARNING

Operator must have instructions before operating the machine. Untrained operators can cause injury or death.


W-2001-0502




Safety Alert Symbol: This symbol with a warning statement, means: "Warning, be alert! Your safety is involved!" Carefully read the message that follows.



⚠ Never use the mower without instructions. See machine signs (decals), Operation & Maintenance Manual, and Operator's Handbook.




⚠ Securely block up attachment before working underneath.




⚠ Fasten seat belt securely.


⚠ Operate controls only from operator's seat.




⚠ Always check work area before operating mower.
⚠ Never use utility vehicle without approved ROPS. Fasten your seat belt.




⚠ Do not use utility vehicle or mower in atmosphere with explosive dust, explosive gas, or where exhaust can contact flammable material.




⚠ Never allow riders on mower.



⚠ Keep bystanders away when operating mower.



⚠ Always carry attachment as low as possible.
⚠ Do not travel or turn with lift arm up.



⚠ Do not put hands, feet, or objects under mower when engine is running.
⚠ To park, put the gear selector in PARK and put attachment flat on the ground and stop engine.

SAFETY EQUIPMENT

The Bobcat Utility Vehicle must be equipped with safety items necessary for each job. Ask your dealer about attachments and accessories.

1. **SEAT BELT:** Check belt fasteners and check for damaged webbing or buckle.
2. **ROLL-OVER PROTECTIVE STRUCTURE (ROPS) and OCCUPANT PROTECTIVE STRUCTURE (OPS):** It must be maintained in good condition.
3. **OPERATOR'S HANDBOOK:** Must be on the vehicle.
4. **MACHINE AND ATTACHMENT WARNING SIGNS:** Replace if damaged.
5. **GRAB HANDLES:** Replace if damaged.
6. **START INTERLOCK AND PTO INTERLOCK SYSTEM:** Check function.
7. **MOWER SIDE DISCHARGE DEFLECTOR:** Replace if damaged.
8. **MOWER BELT / PULLEY SHIELDS:** Replace if damaged.

OSW75-0213



Bobcat®

CONTENTS

FOREWORD5

SAFETY13

OPERATING INSTRUCTIONS23

PREVENTIVE MAINTENANCE47

MACHINE SIGN TRANSLATIONS61

SPECIFICATIONS69

WARRANTY73

ALPHABETICAL INDEX77

REFERENCE INFORMATION

Write the correct information for your Bobcat attachment in the spaces below. Always use these numbers when referring to your Bobcat attachment.

Attachment Serial Number _____

NOTES:

YOUR BOBCAT DEALER:

ADDRESS:

PHONE:

Bobcat Company
P.O. Box 128
Gwinner, ND 58040-0128
UNITED STATES OF AMERICA

Doosan Benelux SA
Drève Richelle 167
B-1410 Waterloo
BELGIUM



Thank you very much
for your reading.
Please click here
to get more information.