




Bobcat®

Operation & Maintenance Manual Three-Point Finish Mower

(3FM60) S/N AL1C00101 & Above
(3FM72) S/N AL1D00101 & Above
(3FM84) S/N AL1E00101 & Above




OPERATOR SAFETY WARNINGS


WARNING


Operator must have instructions before operating the machine. Untrained operators can cause injury or death.

W-2001-0502


 **Safety Alert Symbol:** This symbol with a warning statement, means: “Warning, be alert! Your safety is involved!” Carefully read the message that follows.




 Never use the three-point finish mower without instructions. See machine signs (decals), Operation & Maintenance Manual, and Operator's Handbook.




 Securely block up the implement before working underneath.





 Fasten seat belt securely when Roll-Over Protective Structure (ROPS) is up and locked.


 **DO NOT** wear seat belt if ROPS is down.




 **USE ROPS AND FASTEN SEAT BELT.**

 Always check work area before operating three-point finish mower.





 Do not use compact tractor or three-point finish mower in atmosphere with explosive dust, explosive gas, or where exhaust can contact flammable material.




 Never allow riders on three-point finish mower.


 Keep bystanders away when operating three-point finish mower.





 Keep PTO master shield, implement shield, and driveline guards in place.


 Keep away from moving parts.

 Only operate from the operator's position.




 Obey all traffic regulations when on public roads. Use slow moving vehicle (SMV) emblem and hazard flashers when required.

 Lock brake pedals together for road travel.



 Do not put hands, feet, or objects under three-point finish mower when engine is running.

 To park, engage **PARKING BRAKE**, put all controls in **NEUTRAL**, move PTO lever(s) to **OFF**, put attachment and implement flat on the ground and stop engine.

SAFETY EQUIPMENT

The Compact Tractor and Three-Point Finish Mower Implement must be equipped with safety items necessary for each job. Ask your dealer about implements and accessories.

1. **SEAT BELT:** Check belt fasteners and check for damaged webbing or buckle.
2. **OPERATOR CAB (ROPS):** It must be on the compact tractor with all fasteners tight.
3. **MACHINE AND IMPLEMENT SAFETY SIGNS (DECALS):** Replace if damaged.
4. **COMPACT TRACTOR PTO SHIELD:** Replace if damaged.
5. **PARKING BRAKE.**
6. **IMPLEMENT PTO SHIELD:** Replace if damaged.
7. **PTO DRIVELINE GUARD:** Replace if damaged.



Bobcat®

CONTENTS

FOREWORD	5
SAFETY & TRAINING RESOURCES	11
OPERATING INSTRUCTIONS	21
PREVENTIVE MAINTENANCE	71
MACHINE SIGN TRANSLATIONS	85
SPECIFICATIONS	97
WARRANTY	101
ALPHABETICAL INDEX	105

REFERENCE INFORMATION

Write the correct information for YOUR Bobcat three-point finish mower in the spaces below. Always use these numbers when referring to your Bobcat three-point finish mower.

Three-Point Finish Mower Serial Number _____

NOTES:

YOUR BOBCAT DEALER:

ADDRESS:

PHONE:

Bobcat Company
P.O. Box 128
Gwinner, ND 58040-0128
UNITED STATES OF AMERICA

Doosan Benelux SA
Drève Richelle 167
B-1410 Waterloo
BELGIUM



Thank you very much
for your reading.
Please click here
to get more information.