


Operation & Maintenance Manual Mower

(Mower 72) S/N 230400101 & Above (90 Mower) S/N 230700101 & Above





OPERATOR SAFETY WARNINGS




Operator must have instructions before operating the machine. Untrained operators can cause injury or death.

W-2001-0502




Safety Alert Symbol: This symbol with a warning statement, mean: "Warning, be alert! Your safety is involved!" Carefully read the message that follows.



Never use the mower without instructions. See machine signs (decals), Operation & Maintenance Manual, and Operator's Handbook.




Always install approved lift arm support device when servicing the mower. Raise lift arms and tilt Bob-Tach fully forward.




seat belt snugly.

Always keep feet on the pedals when operating loader.



Always check work area before operating mower.

Never use loader without operator with ROPS and FOPS approval. Fasten your seat belt.




Do not use loader or mower in atmosphere with explosive dust, explosive gas, or where exhaust can contact flammable material.




Never allow riders on mower.

Keep bystanders away when operating mower.




Keep bystanders away when operating mower.

Do not operate without blade shutoff device.



Always carry attachment as low as possible.

Do not travel or turn with lift arms up.



Do not put hands, feet, or objects under mower when engine is running.

To park, engage parking brake and put attachment flat on the ground and stop engine.

SAFETY EQUIPMENT

The Bobcat Loader must be equipped with safety items necessary for each job. Ask your dealer about attachments and accessories.

- SEAT BELT: Check belt fasteners and check for damaged webbing or buckle.
- SEAT BAR: When up, it must lock the controls.
- OPERATOR CAB (ROPS and FOPS): It must be on the loader with all fasteners tight.
- OPERATOR'S HANDBOOK: Must be in the cab.
 MACHINE AND ATTACHMENT SAFETY SIGNS (DECALS): Replace if damaged.
- SPECIAL APPLICATIONS KIT: Available from your dealer.
- GRAB HANDLES: Replace if damaged.
- SAFETY TREADS: Replace if damaged.
- 9. LIFT ARM SUPPORT DEVICE
- 10. PARKING BRAKE
- 11. BLADE SHUTOFF DEVICE

OSW39-0409



CONTENTS

FOREWORD	
SAFETY & TRAINING RESOURCE	≣S13
OPERATING INSTRUCTIONS	21
PREVENTIVE MAINTENANCE	
MACHINE SIGN TRANSLATIONS	97
SPECIFICATIONS	105
WARRANTY	
ALPHABETICAL INDEX	
REFERENCE INFORMATION	
Write the correct information for YOUR I referring to your Bobcat mower.	Bobcat mower in the spaces below. Always use these numbers when
Mower Serial Number	
NOTES:	
YOUR BOBCAT DEALER:	
ADDRESS:	
PHONE:	
Bohcat Company	Doosan Benelux SA

Bobcat Company
P.O. Box 128
Gwinner, ND 58040-0128
UNITED STATES OF AMERICA

Doosan Benelux SA Drève Richelle 167 B-1410 Waterloo BELGIUM



Thank you very much for your reading.

Please click here to get more information.