# SUZUKI





99500-37073-03E

(英)

## **FOREWORD**

This manual contains an introductory description on SUZUKI GSX-R750W and procedures for its inspection/service and overhaul of its main components.

Other information considered as generally known is not included.

Read GENERAL INFORMATION section to familiarize yourself with outline of the vehicle and MAINTENANCE and other sections to use as a guide for proper inspection and service.

This manual will help you know the vehicle better so that you can assure your customers of your optimum and quick service.

- This manual has been prepared on the basis of the latest specification at the time of publication.
  - If modification has been made since then, difference may exist between the content of this manual and the actual vehicle.
- Illustrations in this manual are used to show the basic principles of operation and work procedures.
  - They may not represent the actual vehicle exactly in detail.
- \* This manual is intended for those who have enough knowledge and skills for servicing SUZUKI vehicles. Without such knowledge and skills, you should not attempt servicing by relying on this manual only.

Instead, please contact your nearby authorized SUZUKI motorcycle dealer.

## **IMPORTANT**

All street-legal Suzuki motorcycles with engine displacement of 50cc or greater are subject to Environmental Protection agency emission regulations. These regulations set specific standards for exhaust emission output levels as well as particular servicing requirements. This manual includes specific information required to properly inspect and service GSX-R750W in accordance with all EPA regulations. It is strongly recommended that the chapter on Emission Control, Periodic Servicing and Carburetion be thoroughly reviewed before any type of service work is performed.

Further information concerning the EPA emission regulations and U.S. Suzuki's emission control program can be found in the U.S. SUZUKI EMISSION CONTROL PROGRAM MANUAL/SERVICE BULLETIN.

## **GROUP INDEX**

GENERAL INFORMATION	1
PERIODIC MAINTENANCE AND TUNE-UP PROCEDURES	2
ENGINE	3
FUEL AND LUBRICATION SYSTEM	4
COOLING SYSTEM	5
ELECTRICAL SYSTEM	6
CHASSIS	7
SERVICING INFORMATION	8
EMISSION CONTROL INFORMATION	9
GSX-R750WR ('94-MODEL)	10
GSX-R750WS ('95-MODEL)	11

#### SUZUKI MOTOR CORPORATION

Motorcycle Department Overseas Service Division

© COPYRIGHT SUZUKI MOTOR CORPORATION 1992

## MAINTENANCE AND TUNE-UP PROCEDURES

This section describes the servicing procedures for each item of the Periodic Maintenance requirements.

#### **EXHAUST PIPE BOLTS**

Tighten Every 6000 km (4000 miles, 12 months).

- Remove the lower cowling assembly. (Refer to page 7-4.)
- Remove the radiator mounting bolts. (Refer to page 3-4.)
- Tighten the exhaust pipe clamp bolts and muffler mounting bolts to the specified torque with a torque wrench.

Exhaust pipe clamp bolt 18-28 N·m

& Muffler mounting bolt: (1.8-2.8 kg-m, 13.0-20.0 lb-ft)





#### AIR CLEANER

Inspect Every 6000 km (4000 miles, 12 months) and Replace Every 18000 km (11000 miles, 36 months).

- · Remove the seats. (Refer to page 7-2.)
- · Remove the fuel tank. (Refer to page 4-2.)
- · Remove the air cleaner element by removing the screws.
- Carefully use air hose to blow the dust from the cleaner element.

#### CAUTION:

Always use air pressure on the inside of the air cleaner element. If air pressure is used on the outside, dirt will be forced into the pores of the air cleaner element thus restricting air flow through the air cleaner element.

- Reinstall the cleaned or new air cleaner element in the reverse order of removal.
- When installing the air cleaner element in the cleaner case, make sure that the \$ mark (A) comes upward.

#### CAUTION:


If driving under dusty condition, clean the air cleaner element more frequently. The surest way to accelerate engine wear is to use the engine without the element or to use a ruptured element. Make sure that the air cleaner is in good condition at all times. Life of the engine depends largely on this component!

#### NOTE:

When you clean the air cleaner element, drain water from the air cleaner drain hose by removing the drain plug.











### 1993-1995 Suzuki GSX-R750W Motocycle Service Repair Workshop Manual

Instant download 1993-1995 Suzuki GSX-R750W Motocycle Service Repair Workshop Manual.�� This manual content all service, repair, maintenance, troubleshooting procedures for Suzuki Motorcycle Machine.

All major topics are covered step-by-step instruction, diagrams, illustration, wiring schematic, and specifications to repair and troubleshoot. With this factory service repair manual on hand can easily help you with any repairs that you may need for your Suzuki Motorcycle Machine.

Machine model:

GSX-R750W

Manual Covers:

- \*General Information
- \*Periodic Maintenance And Tun-Up Procedures
- \*Engine
- \*Fuel And Lubrication System
- \*Cooling System
- \*Elctrical System
- \*Chassis
- \*Servcing Information
- \*Emission Control Information
- \*GSX-R750WR(��94-Model)
- \*GSX-R750WS(���95-Model)

AND MORE���SPECIFICATION:

Pages:352 Format: PDF

Language: English

Compatible: Win/MacAll pages are printable, so run off what you need & take it with you into the

garage or workshop.

Save money \$\$ by doing your own repairs! It make it easy for any skill level with these very easy to follow, step-by-step instructions!

Instant download means no shipping cost or waiting for a CD to arrive in the mail���you will receive this manual today via instant download on completion of payment via our secure payment processor. We accept all major credit/debit cards/paypal.

Instant download! Thank you for visiting!



Thank you very much for your reading.

Please click here to get more information.