## Soil Conditioner




### **Bobcat**®

# Operation

### Maintenance Manual

(72 In. Hyd.) S/N 232000101 & Above (72 In. Man.) S/N 651300101 & Above (84 In. Hyd.) S/N 651400101 & Above



Doosan purchased Bobcat Company from Ingersoll-Rand Company in 2007. Any reference to Ingersoll-Rand Company or use of trademarks, service marks, logos, or other proprietary identifying marks belonging to Ingersoll-Rand Company in this manual is historical or nominative in nature, and is not meant to suggest a current affiliation between Ingersoll-Rand Company and Bobcat Company or the products of either.



#### **CONTENTS**

FOREWORD	\
SAFETY	
OPERATING INSTRUCTIONS	OI-1
PREVENTIVE MAINTENANCE	PM-1
SPECIFICATIONS	SPEC-1
REFERENCE INFORMATION	
Write the correct information for YOUR Sobelow. Always use these numbers when r	
Soil Conditioner Serial Number	
NOTES:	
YOUR BOBCAT® DEALER:	
ADDRESS:	
PHONE:	

i

Bobcat Company P.O. Box 128 Gwinner, ND 58040-0128

Bobcat Company Europe J. Huysmanslaan 59 B-1651 LOT Belgium

### **FOREWORD**

**SAFETY** 

OPERATING INSTRUCTIONS

PREVENTIVE MAINTENANCE

**SPECIFICATIONS** 



#### **BOBCAT COMPANY IS ISO 9001 CERTIFIED**





**ISO 9001** is a set of international standards that control the processes and procedures which we use to design, develop, manufacture, distribute, and service Bobcat products.

British Standards Institute (**BSI**) is the Certified Registrar Bobcat chose toassess the Company's compliance with the ISO 9001 set of standards. The BSI registration certifies that the two Bobcat manufacturing plants and the Bobcat corporate offices (Gwinner, Bismarck & West Fargo) in North Dakota are in compliance with ISO 9001. Only certified assessors, Like BSI, can grant registrations.

ISO 9001 means that as a comp any we say what we do an d do what we say . In other words, we have est ablished procedures and policies, and we provide evidence that the procedures and policies are followed.



Thank you very much for your reading.

Please click here to get more information.